


RACK CABIN CATALOGUE

NETWORK - SERVER - DATA CENTER

PANEL TYPES



ABOUT US

Specialized metal was founded in 2016. Our company, which works without compromising the principles of quality production and customer satisfaction, manufactures new products with the production of TEKNOLINE branded Rack Cabinets and Cabinet Accessories with modern machine parks. Our production, design and applications are made by 100% domestic technology. We provide a high quality service, the standards required to ensure installation.

19 tir Rack Cabinets and Accessories, Indoor and Outdoor Panel, Lighting Fixtures, Stands and special productions have a wide product range. [Learn more](#).

They produce software in their production with designs produced with new technologies.

Experienced and dynamic team with the Refinery and Rack Transmission, Communication and Information Technology are presented to markets in Turkey and abroad with.

[Click here](#) to follow the technology and trust articles to give better service.

You can use our cabinet products safely at all prices. Leader in the Cabinet Sector with Appropriate Payment Terms Fast Delivery. We are trying to make a difference between us and our competitors with the principle of unchanging quality.

We produce all our products together with the latest technology and machines. Today, we continue to produce new products and competencies.

Technical offers Metal, production and design services to meet the expectations of customers is to provide.

- TSE
- CE
- ISO 9001: 2008
- ISO 14001: 2004
- OHSAS 18001: 2007
- Warranty Certificate
- Has ROHS Certificate.

Customer satisfaction papers;

- Superior quality
- High stock
- Reasonable price
- Timely delivery
- Multirenk selection
- Boutique designs
- Long life products

OUR CORPORATE VALUES;

- Justice
- Being savvy
- Being a researcher
- Wisdom
- Not waiting for someone to change
- Sensitivity
- Search for differences and take power from differences
- To respond to evolving needs
- Development
- Trusting
- Being reliable
- Become a developer
- Provide communication
- Improvement
- Participation
- Quantification and consideration,
- Review, continuous
- Being selfless
- Being a guide
- Systematic work
- Problem solving fast
- Consistency
- Based on data and information

VISION MISSION

Our Vision

To be the manufacturer & provider of technology products and services suitable for the needs of customers of all business partners in the world and in our country in the weak current technologies lane and to continue its activities as the leading weak current technologies company in the market. In this journey, we aim to make a world brand with decisive steps in the aim of making a world brand, while on this journey, we will provide personalized service with exploration, offer, production, assembly and after-sales services on topics of Weak Current Technologies as well as volume and value-added business model.

Our Mission

To be the main procurement center of our product range, to work with our manufacturer identity, to increase our competitiveness and to meet all of our business partners' weak current technologies products and service needs by providing them the best logistics service. In order to ensure the satisfaction of our business partners, we provide a working environment where our employees can feel trust and satisfaction and to measure and continuously improve our work efficiency.

Our Values

Trustworthy and Reputation

In all our behaviors, we always take care to have high business ethics, to be consistent, to be honest, to perform what we say, to be respectful to others, to have our company in every sense and to represent it in the best way.

Result Focused

As a fast, dynamic and hard-working team, we love to succeed. We focus on our target, and we strive to be a leader in the sector with our cost leadership. We achieve our results by exhibiting sustainable and measurable efficiency.

We are a competent team

We are open to continuous development and importance. We value learning and learning as a team. We feel responsible for our work and results, and we improve our competencies to get results. We take care to realize all these with the positive and optimistic communication skills, making life easier.

We strive for innovation

We take care to be creative, changeable and open to opportunities. We take measurable risks to generate new ideas and to assess existing opportunities.

RACK CABINET

FREE STANDING DATA CENTER CABINET

It is designed to enable all active and passive devices to be protected thanks to its aesthetic appearance, high quality design and manufacturing which will be used in server applications.



- STRK 26U
- STRK 36U
- STRK 42U
- STRK 48U
- STRK 52U

PRACTICAL AND ERGONOMIC

Design, all brands and models are manufactured with active and passive ventilation and traceability in every detail accessories that you can install active and passive devices.

The digital temperature sensor measures the temperature of the heat and Fan 1 and 2 enter the circuit at the specified temperature intervals.

At extremely high temperatures the Buzzer Alarm is switched on and the warning buzzer sounds.

- Temperature Sensor
- Digital Indicator
- Dual System Cooling Fan With 2 And 4
- Temperature Analysis
- Remote Access



19" RACK CABINET

Data Center

Free Standing Rack Cabinet

Network/Server cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Door Options



4 mm Tempered
Glass



%60 Perforated Metal

In the 600mm 800 mm

wide 800mm, 1000mm, 1100mm, 1200mm
depth range,

From 26U to 52U, 6 different heights are offered. The cabinets are supplied as standard with %60 perforated metal door, 3 point interlock, locked metal side panels and a locked metal rear door. All panels and doors are lockable.

Wide product height portfolio, Everything you need for your infrastructure meets the need for height.

In addition to its technical appearance, it also has an aesthetic appearance

Completely standard and stocked product portfolio is shipped preassembled and disassembled flat pack options

It is offered with the quality to meet all usage demands and various accessory options and most suitable for usage area.

19" RACK CABINET

TECHNICAL DETAILS

800x800 Data Center Cabinet

Product Code	Description	Stock Code	Dimensions WxDxH mm	hDimension U	Height Outside Outside T/Wheel and Frontless Measure Wheels 90 mm	Amount in Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gross Product Weight G.
STRK-26U8080	26U 19" Server Type Cabinet W: 800mm D: 800 mm	57051	800x800x1478	26U	1478	1	830x830x1508	830x430x1508	60.000	68.000
STRK-32U8080	32U 19" Server Type Cabinet W: 800mm D: 800 mm	57052	800x800x1745	32U	1745	1	830x830x1775	830x430x1775	73.000	81.000
STRK-36U8080	36U 19" Server Type Cabinet W: 800mm D: 800 mm	57053	800x800x1923	36U	1923	1	830x830x1953	830x430x1953	83.000	91.000
STRK-42U8080	42U 19" Server Type Cabinet W: 800mm D: 800 mm	57054	800x800x2190	42U	2190	1	830x830x2220	830x430x2220	96.000	104.000
STRK-48U8080	48U 19" Server Type Cabinet W: 800mm D: 800 mm	57055	800x800x2457	48U	2457	1	830x830x2487	830x430x2487	110.000	118.000
STRK-52U8080	52U 19" Server Type Cabinet W: 800mm D: 800 mm	57056	800x800x2635	52U	2635	1	830x830x2665	830x430x2665	119.000	127.000

800x1000 Data Center Cabinet

STRK-26U80100	26U 19" Server Type Cabinet W: 800mm D: 1000 mm	57061	800x1000x1478	26U	1478	1	830x1030x1508	1030x430x1508	75.000	83.000
STRK-32U80100	32U 19" Server Type Cabinet W: 800mm D: 1000 mm	57062	800x1000x1745	32U	1745	1	830x1030x1775	1030x430x1775	92.000	100.000
STRK-36U80100	36U 19" Server Type Cabinet W: 800mm D: 1000 mm	57063	800x1000x1923	36U	1923	1	830x1030x1953	1030x430x1953	103.000	111.000
STRK-42U80100	42U 19" Server Type Cabinet W: 800mm D: 1000 mm	57064	800x1000x2190	42U	2190	1	830x1030x2220	1030x430x2220	120.000	128.000
STRK-48U80100	48U 19" Server Type Cabinet W: 800mm D: 1000 mm	57065	800x1000x2457	48U	2457	1	830x1030x2487	1030x430x2487	137.000	145.000
STRK-52U80100	52U 19" Server Type Cabinet W: 800mm D: 1000 mm	57066	800x1000x2635	52U	2635	1	830x1030x2665	1030x430x2665	149.000	157.000

800x1100 Data Center Cabinet

STRK-26U80110	26U 19" Server Type Cabinet W: 800mm D: 1100 mm	57071	800x1100x1478	26U	1478	1	830x1130x1508	1130x430x1508	82.000	90.000
STRK-32U80110	32U 19" Server Type Cabinet W: 800mm D: 1100 mm	57072	800x1100x1745	32U	1745	1	830x1130x1775	1130x430x1775	101.000	109.000
STRK-36U80110	36U 19" Server Type Cabinet W: 800mm D: 1100 mm	57073	800x1100x1923	36U	1923	1	830x1130x1953	1130x430x1953	114.000	122.000
STRK-42U80110	42U 19" Server Type Cabinet W: 800mm D: 1100 mm	57074	800x1100x2190	42U	2190	1	830x1130x2220	1130x430x2220	132.000	140.000
STRK-48U80110	48U 19" Server Type Cabinet W: 800mm D: 1100 mm	57075	800x1100x2457	48U	2457	1	830x1130x2487	1130x430x2487	151.000	159.000
STRK-52U80110	52U 19" Server Type Cabinet W: 800mm D: 1100 mm	57076	800x1100x2635	52U	2635	1	830x1130x2665	1130x430x2665	164.000	172.000

800x1200 Data Center Cabinet

STRK-26U80120	26U 19" Server Type Cabinet W: 800mm D: 1200 mm	57081	800x1200x1478	26U	1478	1	830x1230x1508	1230x430x1508	90.000	98.000
STRK-32U80120	32U 19" Server Type Cabinet W: 800mm D: 1200 mm	57082	800x1200x1745	32U	1745	1	830x1230x1775	1230x430x1775	111.000	119.000
STRK-36U80120	36U 19" Server Type Cabinet W: 800mm D: 1200 mm	57083	800x1200x1923	36U	1923	1	830x1230x1953	1230x430x1953	125.000	133.000
STRK-42U80120	42U 19" Server Type Cabinet W: 800mm D: 1200 mm	57084	800x1200x2190	42U	2190	1	830x1230x2220	1230x430x2220	146.000	154.000
STRK-48U80120	48U 19" Server Type Cabinet W: 800mm D: 1200 mm	57085	800x1200x2457	48U	2457	1	830x1230x2487	1230x430x2487	166.000	174.000
STRK-52U80120	52U 19" Server Type Cabinet W: 800mm D: 1200 mm	57086	800x1200x2635	52U	2635	1	830x1230x2665	1230x430x2665	180.000	188.000

RACK CABINET

INTELLIGENT COOLING SYSTEM (AGILE)

It is designed to enable all active and passive devices to be protected thanks to its aesthetic appearance, high quality design and manufacturing which will be used in office applications.

- TRK16U
- TRK20U
- TRK22U
- TRK26U
- TRK32U
- TRK36U
- TRK42U
- TRK44U



PRACTICAL AND ERGONOMIC

design, all brands and models are manufactured with active and passive ventilation and traceability in every detail accessories that you can install active and passive devices.

The digital temperature sensor measures the temperature of the heat and Fan 1 and 2 enter the circuit at the specified temperature intervals.

At extremely high temperatures the Buzzer Alarm is switched on and the warning buzzer sounds.

- Temperature Sensor
- Digital Indicator
- Dual System Cooling Fan With 2 And 4
- Temperature Analysis
- Remote Access



19" RACK CABINET 600 mm

Free Standing Rack Cabinet

Network/Server cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Door Options



4 mm Tempered
Glass



Sheet Metal

In the 600mm wide range,

From 16U to 44U, 8 different depths are offered. The cabinets are supplied as standard with glass front door, mechanical interlock, locked metal side panels and a locked metal rear door. All panels and doors are lockable.

Wide product height portfolio,

Everything you need for your infrastructure meets the need for height.

In addition to its technical appearance, it also has an aesthetic appearance with decorative extrusion aluminum front door frame.

Completely standard and stocked product portfolio is shipped pre-assembled and disassembled.

The height adjustment foot is not included in the dispatch configuration.

It is offered with the quality to meet all usage demands and various accessory options and most suitable for height usage area.

TECHNICAL DETAILS

600x800 Free Standing Rack Cabinet

Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension U	h mm	Dimension wxdxh Mm	h Dimension U	h mm	Dimension wxdxh Mm	h Dimension U	h mm	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.
TRK-16U6080	16U 19" Free Standing Cabinet W: 600mm D: 800 mm	17011	600x800x885	16U	740	885	600	19"	800	1	620x820x905	40.000	40.000			
TRK-20U6080	20U 19" Free Standing Cabinet W: 600mm D: 800 mm	17012	600x800x1066	20U	915	1066	600	19"	800	1	620x820x1086	50.000	50.000			
TRK-22U6080	22U 19" Free Standing Cabinet W: 600mm D: 800 mm	17013	600x800x1155	22U	1004	1155	600	19"	800	1	620x820x1175	55.000	55.000			
TRK-26U6080	26U 19" Free Standing Cabinet W: 600mm D: 800 mm	17014	600x800x1333	26U	1182	1333	600	19"	800	1	620x820x1353	65.000	65.000			
TRK-32U6080	32U 19" Free Standing Cabinet W: 600mm D: 800 mm	17015	600x800x1600	32U	1450	1600	600	19"	800	1	620x820x1620	80.000	80.000			
TRK-36U6080	36U 19" Free Standing Cabinet W: 600mm D: 800 mm	17016	600x800x1780	36U	1625	1780	600	19"	800	1	620x820x1800	90.000	90.000			
TRK-42U6080	42U 19" Free Standing Cabinet W: 600mm D: 800 mm	17017	600x800x2045	42U	1895	2045	600	19"	800	1	620x820x2065	105.000	105.000			
TRK-44U6080	44U 19" Free Standing Cabinet W: 600mm D: 800 mm	17018	600x800x2130	44U	1985	2130	600	19"	800	1	620x820x2150	110.000	110.000			

600x1000 Free Standing Rack Cabinet

Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension U	h mm	Dimension wxdxh Mm	h Dimension U	h mm	Dimension wxdxh Mm	h Dimension U	h mm	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.
TRK-16U60100	16U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17021	600x1000x885	16U	740	885	600	19"	1000	1	620x1020x905	48.000	48.000			
TRK-20U60100	20U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17022	600x1000x1066	20U	915	1066	600	19"	1000	1	620x1020x1086	60.000	60.000			
TRK-22U60100	22U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17023	600x1000x1155	22U	1004	1155	600	19"	1000	1	620x1020x1175	66.000	66.000			
TRK-26U60100	26U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17024	600x1000x1333	26U	1182	1333	600	19"	1000	1	620x1020x1353	78.000	78.000			
TRK-32U60100	32U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17025	600x1000x1600	32U	1450	1600	600	19"	1000	1	620x1020x1620	96.000	96.000			
TRK-36U60100	36U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17026	600x1000x1780	36U	1625	1780	600	19"	1000	1	620x1020x1800	108.000	108.000			
TRK-42U60100	42U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17027	600x1000x2045	42U	1895	2045	600	19"	1000	1	620x1020x2065	126.000	126.000			
TRK-44U60100	44U 19" Free Standing Cabinet W: 600mm D: 1000 mm	17028	600x1000x2130	44U	1985	2130	600	19"	1000	1	620x1020x2150	132.000	132.000			

19" RACK CABINET

800 mm

Free Standing Rack Cabinet

Network/Server cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



Colour Options



RAL 9005

Black



RAL 7035

Light Grey

Door Options



4 mm Tempered
and Rodaged Glass



Sheet Metal

• In the 800mm wide range,

From 16U to 44U, 8 different depths are offered. The cabinets are supplied as standard with glass front door, mechanical interlock, locked metal side panels and a locked metal rear door. All panels and doors are lockable.

Wide product height portfolio,

Everything you need for your infrastructure meets the need for height.

In addition to its technical appearance, it also has an aesthetic appearance with decorative extrusion aluminum front door frame.

Completely standard and stocked product portfolio is shipped pre-assembled and disassembled.

The height adjustment foot is not included in the dispatch configuration.

It is offered with the quality to meet all usage demands and various accessory options and most suitable for height usage area.

19" RACK CABINET

800 mm

Free Standing Rack Cabinet

TECHNICAL DETAILS

800x800 Free Standing Rack Cabinet

Product Code	Description	Stock Code	Dimension wxDxh Mm	h Dimension U	h mm	h mm Outside Outside T/Wheel and Footless Measure Wheels 90 mm	Wide mm	Wide Device	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.
TRK-16U8080	16U 19" Free Standing Cabinet W: 800mm D: 800 mm	17031	800x800x885	16U	740	885	800	19"	800	1	820x820x905	49.600	49.600
TRK-20U8080	20U 19" Free Standing Cabinet W: 800mm D: 800 mm	17032	800x800x1066	20U	915	1066	800	19"	800	1	820x820x1086	62.000	62.000
TRK-22U8080	22U 19" Free Standing Cabinet W: 800mm D: 800 mm	17033	800x800x1155	22U	1004	1155	800	19"	800	1	820x820x1175	68.200	68.200
TRK-26U8080	26U 19" Free Standing Cabinet W: 800mm D: 800 mm	17034	800x800x1333	26U	1182	1333	800	19"	800	1	820x820x1353	80.600	80.600
TRK-32U8080	32U 19" Free Standing Cabinet W: 800mm D: 800 mm	17035	800x800x1600	32U	1450	1600	800	19"	800	1	820x820x1620	99.200	99.200
TRK-36U8080	36U 19" Free Standing Cabinet W: 800mm D: 800 mm	17036	800x800x1780	36U	1625	1780	800	19"	800	1	820x820x1800	111.600	111.600
TRK-42U8080	42U 19" Free Standing Cabinet W: 800mm D: 800 mm	17037	800x800x2045	42U	1895	2045	800	19"	800	1	820x820x2065	130.200	130.200
TRK-44U8080	44U 19" Free Standing Cabinet W: 800mm D: 800 mm	17038	800x800x2130	44U	1985	2130	800	19"	800	1	820x820x2150	136.400	136.400

800x1000 Free Standing Rack Cabinet

Product Code	Description	Stock Code	Dimension wxDxh Mm	h Dimension U	h mm	h mm Outside Outside T/Wheel and Footless Measure Wheels 90 mm	Wide mm	Wide Device	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.
TRK-16U80100	16U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17041	800x1000x885	16U	740	885	800	19"	1000	1	820x1020x905	52.800	52.800
TRK-20U80100	20U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17042	800x1000x1066	20U	915	1066	800	19"	1000	1	820x1020x1086	66.000	66.000
TRK-22U80100	22U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17043	800x1000x1155	22U	1004	1155	800	19"	1000	1	820x1020x1175	72.600	72.600
TRK-26U80100	26U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17044	800x1000x1333	26U	1182	1333	800	19"	1000	1	820x1020x1353	85.800	85.800
TRK-32U80100	32U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17045	800x1000x1600	32U	1450	1600	800	19"	1000	1	820x1020x1620	105.600	105.600
TRK-36U80100	36U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17046	800x1000x1780	36U	1625	1780	800	19"	1000	1	820x1020x1800	118.800	118.800
TRK-42U80100	42U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17047	800x1000x2045	42U	1895	2045	800	19"	1000	1	820x1020x2065	138.600	138.600
TRK-44U80100	44U 19" Free Standing Cabinet W: 800mm D: 1000 mm	17048	800x1000x2130	44U	1985	2130	800	19"	1000	1	820x1020x2150	145.200	145.200

RACK CABINET

FREE STANDING EASY SERIES CABINET

It is designed to enable all active and passive devices to be protected thanks to its aesthetic appearance, high quality design and manufacturing which will be used in server applications.



- ERK 16U
- ERK 20U
- ERK 22U
- ERK 26U
- ERK 32U
- ERK 36U
- ERK 42U

PRACTICAL AND ERGONOMIC

Design, all brands and models are manufactured with active and passive ventilation and traceability in every detail accessories that you can install active and passive devices.

The digital temperature sensor measures the temperature of the heat and Fan 1 and 2 enter the circuit at the specified temperature intervals.

At extremely high temperatures the Buzzer Alarm is switched on and the warning buzzer sounds.

- Temperature Sensor
- Digital Indicator
- Dual System Cooling Fan With 2 And 4
- Temperature Analysis
- Remote Access




19" RACK CABINET EASY Series

Free Standing Rack Cabinet

EASY Series Network cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



• FLAT Pack packing

Suitable for disassembled packing it takes much less space and its easy to assemble.

Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Door Options



4 mm Tempered
Glass



%60 Perforated Metal

Wide product height portfolio,

Numerous 19" options with installation depths of 600mm, 800mm, 1000mm. With heights from 16U to 42U units in Black (RAL9005) or Light Gray (RAL7035). The removable side panels and the lockable tempered-glass door make cabling and component exchange particularly easy.

Completely standard and stocked product portfolio is shipped pre-assembled and disassembled.

The height adjustment foot is not included in the dispatch configuration.

It is offered with the quality to meet all usage demands and various accessory options and most suitable for height usage area.

TECHNICAL DETAILS

600x600 Easy Type Cabinet

Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension U	H mm.Outside Outside Wheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gross Product Weight G.
ERK-16U6060	16U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30050	600x600x938	16U	938	1	630x630x968	690x858x250	25.000	33.000
ERK-20U6060	20U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30051	600x600x1116	20U	1116	1	630x630x1146	690x1036x250	31.000	39.000
ERK-26U6060	26U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30052	600x600x1383	26U	1383	1	630x630x1413	690x1303x250	40.000	48.000
ERK-32U6060	32U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30053	600x600x1680	32U	1680	1	630x630x1680	690x1570x250	48.000	56.000
ERK-36U6060	36U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30054	600x600x1858	36U	1858	1	630x630x1858	690x1748x250	55.000	63.000
ERK-42U6060	42U 19" Easy Tipi Kabinet W: 600mm D: 600 mm	30055	600x600x2125	42U	2125	1	630x630x2125	690x2015x250	63.000	71.000

600x800 Easy Type Cabinet

Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension U	H mm.Outside Outside Wheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gross Product Weight G.
ERK-16U6080	16U 19" Easy Type Cabinet W: 600mm D: 800 mm	30060	600x800x938	16U	938	1	630x830x968	690x858x250	25.000	33.000
ERK-20U6080	20U 19" Easy Type Cabinet W: 600mm D: 800 mm	30061	600x800x1116	20U	1116	1	630x830x1146	690x1036x250	31.000	39.000
ERK-26U6080	26U 19" Easy Type Cabinet W: 600mm D: 800 mm	30062	600x800x1383	26U	1383	1	630x830x1413	690x1303x250	40.000	48.000
ERK-32U6080	32U 19" Easy Type Cabinet W: 600mm D: 800 mm	30063	600x800x1680	32U	1680	1	630x830x1680	690x1570x250	48.000	56.000
ERK-36U6080	36U 19" Easy Type Cabinet W: 600mm D: 800 mm	30064	600x800x1858	36U	1858	1	630x830x1858	690x1748x250	55.000	63.000
ERK-42U6080	42U 19" Easy Type Cabinet W: 600mm D: 800 mm	30065	600x800x2125	42U	2125	1	630x830x2125	690x2015x250	63.000	71.000

600x1000 Easy Type Cabinet

Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension U	H mm.Outside Outside Wheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gross Product Weight G.
ERK-16U60100	16U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30080	600x1000x938	16U	938	1	630x1030x968	690x858x250	30.000	38.000
ERK-20U60100	20U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30081	600x1000x1116	20U	1116	1	630x1030x1146	690x1036x250	38.000	46.000
ERK-26U60100	26U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30082	600x1000x1383	26U	1383	1	630x1030x1413	690x1303x250	49.000	57.000
ERK-32U60100	32U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30083	600x1000x1680	32U	1680	1	630x1030x1680	690x1570x250	60.000	68.000
ERK-36U60100	36U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30084	600x1000x1858	36U	1858	1	630x1030x1858	690x1748x250	68.000	76.000
ERK-42U60100	42U 19" Easy Type Cabinet W: 600mm D: 1000 mm	30085	600x1000x2125	42U	2125	1	630x1030x2125	690x2015x250	78.000	86.000

RACK CABINET

WALL TYPE

Network/Server cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



SOHO
ECO
PRO

ECO:

In 520X400 sizes, 4 different heights are offered up to 4,7,9,12U.

PRO:

600X450 and 600x600 sizes
2 kind 3 different heights are offered up to 7,9,12U.

Eco: Cabinets are standard mechanical lock with glass front cover.


Pro: In the cabins, side covers can be opened and locked.

19" RACK CABINET

520x400 ECO

Wall Type Rack Cabinet

TECHNICAL DETAILS



Product Code	Description	Stock Code	Dimension widthxheightxdepth mm	h Dimension U	h mm	Width mm	Width Device	Between The Bins Depth mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.	
TSEK-4U5240	4U 19" ECO WALL TYPE RACK CABINET	17051	520x400x214	4U	202	214	520	19"	400	1	540x420x234	7.900	13.000
TSEK-7U5240	7U 19" ECO WALL TYPE RACK CABINET	17052	520x400x214	7U	355	375	520	19"	400	1	540x420x11216	10.100	15.200
TSEK-9U5240	9U 19" ECO WALL TYPE RACK CABINET	17053	520x400x214	9U	457	483	520	19"	400	1	540x420x1305	11.500	16.600
TSEK-12U5240	12U 19" ECO WALL TYPE RACK CABINET	17054	520x400x214	12U	610	645	520	19"	400	1	540x420x1482	13.600	18.700

19" RACKCABINET **PRO** **600x450**

Wall Type Rack Cabinet

Network/Server cabinets,

Quality and value added in the most optimal way.

Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Rack Kabin series

Wall-type eco cabins, 19 "w: 600 mm and d: 450 mm in physical measurements, maximum internal It has a depth of usage and offers a wide selection of users with 3 different height. Ferfore door option.

All

Wall-mounted cabinets are shipped as standard and stocked pre-assembled in one piece and standard factory settings.

As decorative


are presented with special design parts and accessories for harmonization to your surroundings and living spaces.

19" RACK CABINET

PRO 600x450

Wall Type Rack Cabinet

TECHNICAL DETAILS



Product Code	Description	Stock Code	Dimension WxDxH Mm	h Dimension U	h mm	H mm Outside	Wide mm	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gross Product Weight G.
600x450												
TSPK-7U6045	7U 19" PRO WALL TYPE RACK CABINET	17061	600x450x396	7U	330	396	600	19"	450	1	620x470x416	11.100
TSEK-9U6045	9U 19" PRO WALL TYPE RACK CABINET	17062	600x450x510	9U	425	510	600	19"	450	1	620x470x530	12.500
TSEK-12U6045	12U 19" PRO WALL TYPE RACK CABINET	17063	600x450x680	12U	566	680	600	19"	450	1	620x470x700	14.600
600x600												
TSPK-7U6060	7U 19" PRO WALL TYPE RACK CABINET	17064	600x600x396	7U	330	396	600	19"	600	1	620x620x416	11.100
TSEK-9U6060	9U 19" PRO WALL TYPE RACK CABINET	17065	600x600x510	9U	425	510	600	19"	600	1	620x620x530	12.500
TSEK-12U6060	12U 19" PRO WALL TYPE RACK CABINET	17066	600x600x680	12U	566	680	600	19"	600	1	620x620x700	14.600

WALL MOUNTED ENCLOSURES

INDOOR - OUTDOOR

Easy to install,

Network distribution panels designed to create an efficient cost index.

Parallel to the high performance and quality of network applications,

it offers an unobtrusive price index thanks to fully automated industrial infrastructure and design.

The product group has the most efficient price index modeled on the required performance and qual



Its Intelligent Design And Packaging,
it has low shipping costs and low storage costs.

Each Panel is available as a standard metal front door with lockable 'O' lock with cylindrical single point locking.

DOUBLE INSULATION ENCLOSURES
IP 65
OUTDOOR

Pole Type Electrical / Automation / Industrial Panels:

Wall type Industrial / Automation / Electric panels, electrical distribution, automation and control control purposes It is used in internal and external environments. It can be connected to wall, pole and floor. 19 " with accessories can be used in applications.

GENERAL FEATURES

- Metal material is boiled for high strength.
- body is created.
- Full compliance with edge bends and lid seal.
- Narrow side bends provide more room for internal installation.
- IP65 Provides protection against dust and water.
- Mechanical resistance against external impact is high.
- Suitable for 500 hour salt test strength, Phosphate coating and RAL 7035 is painted 70-90 micron thick paint.
- Provides high strength against chemicals.
- For high strength, cover with multiple folded bends was consolidated.
- There is only one lock on the cover, the cover can be made suitable for opening in the reverse direction.
- Highly corrosion resistant
- There is a sealing ring on the cover.
- Cable entry on the lower side depending on the size of the panel It is available.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Standard Production Measures Used:


Height (mm) : 600 / 700 / 800

Width (mm) : 500 / 600 / 800

Depth (mm) : 150 / 200 / 250

DOUBLE INSULATION **ENCLOSURES**
IP 65
OUTDOOR

TECHNICAL DETAILS



Product Code	Description	Stock Code	Dimension wxdxh Mm	h Dimension in U	H mm Outside Outside	Wide mm	Amount In Packing	Depth mm	Amount In Packing	Packing Dimension WxdxH mm	Net Product Weight G.	Gros Product Weight G.
TP-7U6440	7U OUTDOOR ENCLOSURES	17091	640x400x420	7U	420	640	19"	400	1	660x420x420	23.300	24.300
TP-9U6440	9U OUTDOOR ENCLOSURES	17092	640x400x555	9U	555	640	19"	400	1	660x420x555	29.900	30.900
TP-12U6440	12U OUTDOOR ENCLOSURES	17093	640x400x688	12U	688	640	19"	400	1	660x420x688	39.600	40.600
TP-16U6440	16U OUTDOOR ENCLOSURES	17094	640x400x821	16U	821	640	19"	400	1	660x420x821	52.800	53.800

WALL MOUNTED **ENCLOSURES****IP 55 500 mm**

OUTDOOR

Improved IP55 Outdoor exterior panel

Steel construction, specially designed panel structure is resistant to bending and has a built-in

screw system construction

. Protect your devices against external influences with high corrosion resistance.

**Colour Options**RAL 9005
BlackRAL 7035
Light Grey**Standard Production**
Measures Used:

Height (mm): 600

Width (mm) : 400

Depth (mm) : 250

GENERAL FEATURES

External Dimensions: The size and design of the external type panel CINA. Four of the bases at the bottom of the board it is fixed to the hole in the corner. Fixing operation If desired, the template is used.

Doors: 120 openable doors are locked from two spots. Depending on the design of the doors, knows.

Paint and surface treatment processes: Iron surface treatment process and then painted with RAL 7035 paint. In the standard, the inner parts are made entirely of galvanized sheet is. It is produced as aluminum on demand. Electrostatic powder coating is applied.

Protection class: IP55 - water and dust tightness. Cable entry: otherwise if not requested, on the bottom of the board. Cooling unit: can be added. Cable entry is standard if not specified.

Basic materials and standards: Main carrier profiles, spools, panels and panel ceiling Dkp are produced from the material.

Grounding: Hinges on the underside of the inside of each door for close grounding M6 nut is attached to the spot without paint-Taste.


Hinges: Iron hinges with anti-vandal features, fixed in the channel in the profile of the cap it forms an extension of the door. A possible challenge from the outside It is resistant to intervention.

WALL MOUNTED ENCLOSURES

IP 55 500 mm

OUTDOOR

TECHNICAL DETAILS



Product Code	Description	Stock Code	Dimension wxdxh Mm	Depth	Width mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.	
TP-500x600	500x600 OUTDOOR ENCLOSURES	17081	500x600	150x200x250	600	500	1	520x620x170	24.000	25.000
TP-500x700	500x700 OUTDOOR ENCLOSURES	17082	500x700	150x200x250	700	500	1	520x720x170	28.000	29.000
TP-500x800	500x800 OUTDOOR ENCLOSURES	17083	500x800	150x200x250	800	500	1	520x820x170	32.000	33.000
TP-500x900	500x900 OUTDOOR ENCLOSURES	17084	500x900	150x200x250	900	500	1	520x920x170	36.000	37.000

WALL MOUNTED **ENCLOSURES**
DVR BOX
INDOOR

Wall Type CCTV / DVR / Enclosure:

Wall mount DVR BOX includes 1U 19" PDU assembly point, adjustable DVR mounting plates and standart monitor mounting point

GENERAL FEATURES



RAL 9005
Black



RAL 7035
Light Grey



Standard Production Measures Used :

Height (mm) : 600 / 700 / 800

Width (mm) : 500 / 600 / 800

Depth (mm) : 150 / 200 / 250

▪ Can be produced in desired sizes

Wall Type Electrical / Automation / Industrial Panels:

Wall type Industrial / Automation / Electrical panels are used for internal and external environments for electrical distribution, automation and control purposes.

Wall mount or pole mount can be used. It can be used with 19 " applications with accessories.

GENERAL FEATURES

- Metal material is boiled for high strength body is created.
- Narrow side bends provide more room for internal installation.
- The base sheet can be easily taken into or out of the panel.
- Suitable for 500 hour salt test strength, Nano-Zirconium based Henkel Bonderite Nanotechnology coating with RAL 7035 Ince rough color, 70-90 micron thick.
- Provides high strength against chemicals.
- For high strength, cover with multiple folded bends It was consolidated.
- There is a single or double lock on the cover, the lid can be adapted for opening in the opposite direction.
- Gasket is applied on the cover for sealing.
- Cable entry on the lower side depending on the size of the panel It is available.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey



CUSTOM
UV Printing

Standard Production Measures Used :

Height [mm] : 600 / 700 / 800

Width [mm] : 500 / 600 / 800

Depth [mm] : 150 / 200 / 250

• Can be produced in desired sizes

WALL MOUNTED **ENCLOSURES**

500x600

INDOOR

Wall Type Electrical / Automation / Industrial Panels:

Wall type Industrial / Automation / Electrical panels are used for internal and external environments for electrical distribution, automation and control purposes.

Wall mount or pole mount can be used. It can be used with 19 " applications with accessories.

GENERAL **FEATURES**

- Metal material is boiled for high strength body is created.
- Narrow side bends provide more room for internal installation.
- The base sheet can be easily taken into or out of the panel.
- Suitable for 500 hour salt test strength, Nano-Zirconium based Henkel Bonderite Nanotechnology coating with RAL 7035 Ince rough color, 70-90 micron thick.
- Provides high strength against chemicals.
- For high strength, cover with multiple folded bends It was consolidated.
- There is a single or double lock on the cover, the lid can be adapted for opening in the opposite direction.
- Gasket is applied on the cover for sealing.
- Cable entry on the lower side depending on the size of the panel It is available.



Colour Options



RAL 9005
Black



RAL 7035
Light Grey

Standard Production Measures Used :

Height [mm] : 600 / 700 / 800

Width [mm] : 500 / 600 / 800

Depth [mm] : 150 / 200 / 250


▪ Can be produced in desired sizes

WALL MOUNTED ENCLOSURES

500x600

INDOOR

TECHNICAL DETAILS



Product Code	Description	Stock Code	Dimension wxdxh Mm	Depth	H mm Outside Outside	Width mm	Net Product Weight G.		
							150	200	250
TP-400x300	400x300 INDOOR ENCLOSURES	17061	400x300	150x200x250	300	400	4.500	6.000	7.500
TP-400x600	400x600 INDOOR ENCLOSURES	17062	400x600	150x200x250	600	400	9.000	12.000	15.000
TP-400x700	400x700 INDOOR ENCLOSURES	17063	400x700	150x200x250	700	400	10.500	14.000	17.500
TP-400x1100	400x1100 INDOOR ENCLOSURES	17064	400x1100	150x200x250	1100	400	16.500	22.000	27.700
TP-500x600	500x600 INDOOR ENCLOSURES	17065	500x600	150x200x250	600	500	9.800	13.000	16.300
TP-500x700	500x700 INDOOR ENCLOSURES	17066	500x700	150x200x250	700	500	10.000	13.200	16.500
TP-600x700	600x700 INDOOR ENCLOSURES	17067	600x700	150x200x250	700	600	12.000	16.000	20.000
TP-600x800	600x800 INDOOR ENCLOSURES	17068	600x800	150x200x250	800	600	13.700	18.200	22.800
TP-600x900	600x900 INDOOR ENCLOSURES	17069	600x900	150x200x250	900	600	15.400	20.500	25.500
TP-750x1200	750x1200 INDOOR ENCLOSURES	17070	50x1200	150x200x250	1200	750	20.500	27.300	34.200
TP-800x1200	800x1200 INDOOR ENCLOSURES	17071	800x1200	150x200x250	1200	800	19.000	25.450	31.800

ACCESSORIES



ORGANIZER HORIZONTAL



ORGANIZER VERTICAL



SHELF FIXED



SHELF MOVABLE



FAN MODULE WITH 2 and 4



GENERAL FEATURES

Horizontal Cable Regulation Class,

The cabinets are various accessories for the management of the cables, management and transfer. 1U, 2U brushes, with hooks available. Available in RAL 9005 Black and RAL 7035 Light Gray Colors.

Stock Code: 17101	W:600 x D:600	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450+150 or D: 600+150
Horizontal Cable Arrangement Panel 19" 1U 5 with hook	TYD-1U5K	TYD-2U5K	TYD-2U5K

**CC Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request

GENERAL FEATURES

In the Vertical Cable Regulation Class,

Cabinets are cable ducts for management and transmission purposes. Cables are arranged on the slots, hyphenated it is transferred to the relevant equipment properly and manageable. By side-by-side mounting, the cable can be moved. Cable ducts reinforced with 2 bends from metal are offered in zinc plated (8-12 micron).

Stock Code: 17102	W:600 x D:600	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450+150 or D: 600+150
Vertical Cable Arrangement Panel 19" 1U 5 with hook	TYD-1U5K	TYD-2U5K	TYD-2U5K

**CC Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request

GENERAL FEATURES

Fixed Shelf 4 point connected,

They are compatible with stand-up type rack cabinets. Ventilation slots are placed in order not to interfere with the ventilation system. It has been reported. It is a high-strength accessory constructed from steel material with bending technology. Carrying capacity 40 kg

Stock Code: 17103 Stock Code: 17104 Stock Code: 17105	W:400 x D:425 W:475 x D:695 W:475 x D:800	W:400 x D:425 W:475 x D:695 W:475 x D:800	W:600 x D:150 entegre With additional compartments D: 450+150 or D: 600+150
Fixed Shelf	TRK-SRB6060	TRK-SRB6060	TRK-SRB6060

**CC Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request

GENERAL FEATURES

Movable Shelves 4 point connected,

All brands are cabinet compatible products. The deeply movable device is integrated with the stand mounting ears.

Ventilation slots are provided to prevent any obstruction to the ventilation system.

Stock Code: 17106 Stock Code: 17107 Stock Code: 17108	W:400 x D:425 W:475 x D:695 W:475 x D:800	W:400 x D:425 W:475 x D:695 W:475 x D:800	W:600 x D:150 entegre With additional compartments D: 450+150 or D: 600+150
Movable Shelves	TRK-HR6060	TRK-SRB6060	TRK-SRB6060

**CC Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request

GENERAL FEATURES

Wall type, Stylish type, Server type cabinet special,

They are Fan Module units that can be used at their height.

Ready integrated on / off lu units with plug-and-play operation. Beher Fan capacity is 2,3-3 m3 / min air flow.

With 2 Stock Code: 17109 With 4 Stock Code: 17110	W:600 x D:450	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450+150 or D: 600+150
With 1 Fan Unit on/off switch	LN-FAN-ONF-IFWM-CC	LN-FAN-ONF-IFWM-CC	LN-FAN-ONF-IFWM-CC
With 1 Fan Unit Thermostat Remote	LN-FAN-THM-IFWM-CC	LN-FAN-THM-IFWM-CC	LN-FAN-THM-IFWM-CC
With 2 Fan Unit on/off switch	LN-FAN-ONF-2FWM-CC	LN-FAN-ONF-2FWM-CC	LN-FAN-ONF-2FWM-CC
With 2 Fan Unit Thermostat Remote	LN-FAN-THM-2FWM-CC	LN-FAN-THM-2FWM-CC	LN-FAN-THM-2FWM-CC

**CC Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request

GROUP SOCKET WITH 6 and 9



RACK CABINET WHEEL



RACK CABINET LOCKED



RACK KABIN BRUSH



RACK KABIN COVERING PANEL



RACK KABIN BOLT



GENERAL FEATURES

Aluminum Body, different features and types,

Energy Distribution Modules. CE Certified. DIN49440 Schuko, IEC 320 C13 IEC type, BS1363 UK Plug-in types, illuminated 16A on / off, 16A Fuse Protection, Overvoltage Protection, and many other types and features.

Stock Code: 17111	W:600 x D:450	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450 + 150 or D: 600+150
With socket 6 Schuko tip, 16A insurance	LN-PRZ-SGT-IU6P-SC	LN-PRZ-SGT-IU6P-SC	LN-PRZ-SGT-IU6P-SC

GENERAL FEATURES

Specially designed for cabinet ...

Height-adjustable PVC Foot System and 360-degree fully-movable wheel groups on the y-axis. Each set consists of 4 pieces, wheels There are 2 brakes, 2 brakes. It is an accessory designed for connecting the cabinets to the floor.

Stock Code: 17112	W:600 x D:450	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450 + 150 or D: 600+150
With wheel groups 2 brakes, 2 brakless	LN-ZMN-TKR-5020-XX	LN-ZMN-TKR-5020-XX	LN-ZMN-TKR-5020-XX

GENERAL FEATURES

It is used in electric panels and machine covers.

Stock Code: 17113	Raw Materials	Technical Features	Cylinder	Material	O'ring
	POLYAMIDE PAG GFR30	BODY:POLYAMIDE PAG GFR30	ZINC DIN-EN 1774 ZnAl4Cu1	STEEL	RUBBER

GENERAL FEATURES

Stock Code: 17115	W:600 x D:450	W:600 x D:600	W:600 x D:150 entegre With additional compartments D: 450 + 150 or D: 600+150
BRUSH	-	***LN-RAF-HRK-D600-CC	***LN-RAF-HRK-D600-CC
**CC: Available in RAL 9005 Black and RAL 7035 Light Gray Colors, color can be made according to customer request			

GENERAL FEATURES

Network and Storage applications,

in order to correct the appearance by turning off the meter, which is not fitted with the device,

It is used as a stopper and a router in the passages.

19 "Closed Panels with Closed Type Tooling Units from 1U to 6U, Hand-held with special type rotatable clips mounting.

Covering panels with 2 bendings made of metal are supplied in RAL 9005 Black and RAL 7035 Light Gray Colors.

1U and 2U models are available with Slotted Ventilation

Stock Code: 17116

GENERAL FEATURES

M6 Steel Cage Nut Set,

20 and 50 packages including screws and washers, connection elements such as cabinet connection kit

Stock Code: 17117

OUR DOCUMENTS

ISO 9001




ISO 14001



OHSAS 18001



CAPACITY REPORT




RACK CABIN FC DECLARATION



RACK CABIN RoHS DECLARATION



TEKNIKSAT
ELECTRICITY INSPECTION AND TEST REPORT



TEKNIKSAT

Factory / Headquarters

Koza Mah. 1678 Sk. No:29
Esenyurt / İSTANBUL - TÜRKİYE

Tel : +90 212 620 41 11

Fax : +90 212 620 43 33

E-mail: teknoline@teknoline.net

İstanbul Anatolia Branch

30 Ağustos Cad. DAP KULE
No:13 A Blok Giriş Kat
Maltepe / İSTANBUL - TÜRKİYE

WhatsApp Support Line

 0549 627 16 40



www.teknoline.net
www.tekniksatgroup.com.tr